

檢驗報告

報告編號： UB/2012/30147

日期： 2012年03月16日 頁數： 1 of 3



瑛誼國際有限公司

臺中市豐原區角潭路2段57號

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 晶絲親面膜
申請廠商： 瑛誼國際有限公司
送樣日期： 2012年03月03日
測試日期： 2012年03月04日
測試結果： - 請見下頁 -

Signed for and on behalf of
SGS Taiwan Ltd.

Yuan-Min Wen
Manager



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試的樣品負責。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

檢驗報告

報告編號： UB/2012/30147

日期： 2012年03月16日 頁數： 2 of 3



瑛隴國際有限公司

臺中市豐原區角潭路2段57號

測試結果：

測試項目	CAS NO.	測試方法	測試結果	檢測極限	單位
防腐劑(paraben類)	---	---	---	---	---
對羥基苯甲酸甲酯(MP)	000099-76-3	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸丙酯(PP)	000094-13-3	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸乙酯(EP)	000120-47-8	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸丁酯(BP)	000094-26-8	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸異丁酯(Iso-BP)	004247-02-3	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸異丙酯(Iso-PP)	004191-72-5	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸(p-Hydroxybenzoic)	000099-96-7	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
對羥基苯甲酸第二丁酯(Sec-BP)	017696-61-6	本測試參考CNS 10949 N6190, 以高效液相層析儀/二極體陣列偵測器(HPLC/DAD)檢測。	N.D.	0.010	%(w/w)
砷(As)	007440-38-2	本測試參考USEPA 3052方法, 以感應耦合電漿光譜儀(ICP/OES) 檢測。	N.D.	1.0	ppm (mg/kg)
鉛(Pb)	007439-92-1	本測試參考USEPA 3052方法, 以感應耦合電漿光譜儀(ICP/OES) 檢測。	N.D.	1.0	ppm (mg/kg)
汞(Hg)	007439-97-6	本測試參考USEPA 3052方法, 以感應耦合電漿光譜儀(ICP/OES) 檢測。	N.D.	1.0	ppm (mg/kg)
鎘(Cd)	007440-43-9	本測試參考USEPA 3052方法, 以感應耦合電漿光譜儀(ICP/OES) 檢測。	N.D.	1.0	ppm (mg/kg)
遷移性螢光物質	---	本測試參考CNS 11820方法檢測。	陰性	---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明, 此報告結果僅對測試的樣品負責。本報告未經本公司書面許可, 不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

檢驗報告

報告編號： UB/2012/30147

日期： 2012年03月16日 頁數： 3 of 3



瑛館國際有限公司

臺中市豐原區角潭路2段57號

總生菌數	---	U.S. FDA"Microbiological methods for cosmetics" in Bacteriological Analytical Manual (2001).	N.D.	10.0	CFU/g
大腸桿菌	---	U.S. FDA"Microbiological methods for cosmetics" in Bacteriological Analytical Manual (2001).	陰性	---	---
綠膿桿菌	---	U.S. FDA"Microbiological methods for cosmetics" in Bacteriological Analytical Manual (2001).	陰性	---	---
金黃色葡萄球菌	---	U.S. FDA"Microbiological methods for cosmetics" in Bacteriological Analytical Manual (2001).	陰性	---	---

備註：1.本報告不得分離，分離使用無效。

2.低於方法偵測極限之測定值以"N.D."表示。

3.Negative / 陰性(未偵測到),Positive / 陽性(已偵測到)。

4.微生物限量：依據衛生署公告化妝品微生物容許基準：總生菌數：眼周圍需<100cfu/g或ml，其他類化妝品<1000cfu/g或ml，金黃色葡萄球菌、綠膿桿菌、大腸桿菌不得檢出。

5.重金屬限量：依據衛生署公告重金屬限量：汞<1ppm，鉛、鎘需<20ppm，砷<10ppm。

- END -